$F_{\text{acilities \& }C_{\text{onstruction}}}\,S_{\text{ervices}}$

7 Kicker

KICKER®

MSDS Number: 000000000091

MSDS Version 2.1

Routes of Exposure

Inhalation and ingestion. Eye and skin contact.

Immediate Effects

Eye

Moderately irritating

Skin

Causes moderate skin irritation.

Ingestion

Harmful if swallowed.

Inhalation

Harmful if inhaled.

Chronic or Delayed Long-Term

Long Torm

See Section 11 for carcinogenic/oncogenic information on piperonyl butoxide.

Medical Conditions Aggravated by Exposure

None known

Signs and Symptoms

May cause gastrointestinal effects such as nausea, vomiting and diarrhea. Ingestion of large quantities can result in nervous system effects such as dizziness, loss of coordination, tremors and loss of consciousness. Symptoms usually regress with no long lasting effects.

SECTION 4. FIRST AID MEASURES

Eye

Flush eyes with plenty of water for at least 15 minutes. Get medical attention if

irritation develops or persists.

Skin

Remove contaminated clothing. Wash with plenty of soap and water. Get

medical attention immediately if irritation persists.

Ingestion

Call a physician or Poison Control Center. Do not induce vomiting unless told to do so by a poison control center or doctor. Contains petroleum distillates.

Vomiting may cause aspiration pneumonia.

Inhalation

Remove victim to fresh air. Apply artificial respiration if indicated.

Note to Physician

This product contains a pyrethroid and a petroleum solvent. If ingested and vomiting has not occurred, emesis should be induced with supervision. If symptoms such as loss of gag reflex, convulsions or unconsciousness occur before emesis, gastric lavage using a cuffed endotracheal tube should be considered.

Do not administer milk, cream or other substances containing vegetable or animal fats. These only enhance absorption of lipophilic substances.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point

62 °C / 144 °F

KICKER®

MSDS Number: 000000000091

MSDS Version 2.1

Method: Tagliabue Closed Cup

Suitable Extinguishing

Media

carbon dioxide (CO2), dry chemical, foam, water

Fire Fighting Instructions As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH approved (or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

General and Disposal

Soak up with an absorbent material such as sand, sawdust, earth, fuller's earth,

etc. Dispose of with chemical waste.

SECTION 7. HANDLING AND STORAGE

Handling Procedures

Avoid breathing spray mist. Do not get in eyes. Avoid getting material on

clothing.

All food processing surfaces should be removed or covered during treatment, or thoroughly cleaned before using. When using this product in these areas, apply

only when facility is not in operation.

Storing Procedures

For Containers Larger than one Gallon: Store upright at room temperature. Avoid

exposure to extreme temperatures. Do not use or store near heat or open flame.

Container One Gallon and Smaller: Store in original container. Keep in a dry.

cool place. Keep out of reach of children and domestic animals.

Work/Hygienic Procedures Wash hands before eating, drinking, chewing gum, using tobacco or using the

toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and

put on clean clothing.

When using in an enclosed area, do not remain in treated area. Ventilate the

area after treatment is completed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/Face Protection

splash goggles or face-shield

Body Protection

Chemical-resistant gloves such as barrier laminate, butyl rubber >/= 14 mils, nitrile rubber >/= 14 mils, neoprene rubber >/= 14 mils, or polyvinyl chloride (PVC) >/= 14 mils, or Viton >/= 14 mils Long-sleeved shirt and long pants shoes

plus socks

Respiratory Protection

Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to

KICKER®

MSDS Number: 000000000091

MSDS Version 2.1

Other Information

PERCENT VOLATILES: 25

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability

Stable

Conditions to Avoid

extreme temperatures

Incompatibility

strong acids

oxidizers

Hazardous

Will not occur

Polymerization (Conditions to avoid)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity

Male Rat: LD50: 4,500 mg/kg

Female Rat: LD50: 4,900 mg/kg

Acute Dermal Toxicity

LD50: > 2,000 mg/kg

Acute Inhalation Toxicity

LC50: > 5 mg/l 4 h

LC50: > 20 mg/l 1 h for DOT purposes

Skin Irritation

Moderately irritating

Eye Irritation

Irritating

Non-corrossive.

Sensitization

Negative

The acute toxicity data is taken from Pyrenone Crop Spray (432-1033); which contains 6% Pyrethrins and 60% Piperonyl Butoxide.

Chronic Toxicity

In a recent study, marginally higher incidences of benign thyroid, parathyroid, ovary, and liver tumors were observed in rats and in lungs of mice following lifetime high doses exposures to pyrethrum.

Marginally higher incidences of benign liver tumors in mice were observed in mice following lifetime high dose exposures to piperonyl butoxide.

The significance of these observations is questionable and under review. The doses at which tumors were observed for both pyrethrum and piperonyl butoxide greatly exceeded potential human exposure from labeled uses.

KICKER®

MSDS Number: 000000000091

MSDS Version 2.1

Assessment Carcinogenicity

ACGIH Pyrethrin

8003-34-7

Group A4

NTP

None

IARC

Piperonyl butoxide

51-03-6

3

OSHA None

Teratogenicity

There were no birth defects or adverse effects on reproductive parameters in tests with rats or rabbits for either pyrethrum or piperonyl butoxide. They are not

considered to be teratogenic.

Mutagenicity

Pyrethrum was not found to be genotoxic and did not damage DNA in any study conducted (Ames mutagenicity assay, chromosome aberration in Chinese hamster ovaries (CHO) cells, and in the unscheduled DNA synthesis (UDS) assay incultured human liver cells.

PBO was not genotoxic in several tests including the Ames mutagenicity assay, chromosome aberration in Chinese hamster ovary (CHO) cells, CHO/HGPRT assay with S9 activation, and in the unscheduled DNA systhesis (UDS) assay in cultured human liver cells.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions

This pesticide is extremely toxic to fish and other aquatic organisms, including crab and shrimp. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas.

KICKER®

MSDS Number: 000000000091

MSDS Version 2.1

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of at an approved waste

disposal facility.

Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state

and local authorities.

RCRA Classification

Not Regulated under this Statute

SECTION 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: Environmentally Hazardous Substance, n.o.s. (Pyrethrins)

HAZARD CLASS: 9, PG III

DOT IDENTIFICATION NUMBER: UN3082

DOT SHIPPING LABEL: Class 9

ADDITIONAL SHIPPING PAPER DESCRIPTIONRQ (Pyrethrins)

NOTE: This product is not regulated by DOT in quantities less than 2 gallons.

SECTION 15. REGULATORY INFORMATION

US Federal

EPA Registration No.

432-1145

TSCA list

Piperonyl butoxide

51-03-6

Isoparaffinic Petroleum Solvent

64742-47-8

TSCA 12b export notification

None

SARA Title III - section 302 - notification and information

SARA Title III - section 313 - toxic chemical release reporting

Piperonyl butoxide

51-03-6

1.0%

US States Regulatory

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive

KICKER®

harm.

MSDS Number: 000000000091

MSDS Version 2.1

US State right-to-know ingredients

Pyrethrin

Piperonyl butoxide

8003-34-7 51-03-6

CA, CT, IL, MN, NJ, PA, RI

Canadian Regulations

Canadian Registrat. No.

Canadian Domestic Substance List

Pyrethrin Piperonyl butoxide Isoparaffinic Petroleum Solvent 8003-34-7 51-03-6

64742-47-8

Environmental

CERCLA

Pyrethrin

8003-34-7

1 lbs

Clean Water Section 307 Priority Pollutants

Safe Drinking Water Act Maximum Contaminant Levels

None

International Regulations

EU Classification

None

European Inventory of Existing Commercial Substances (EINECS)

Pyrethrin

8003-34-7

Piperonyl butoxide

51-03-6

Isoparaffinic Petroleum Solvent

64742-47-8

SECTION 16. OTHER INFORMATION

	Health	Flammability	Reactivity	Others	
HMIS	1	2	0	В	
NEPA	i	2	0		

REVISED SECTIONS:

MSDS REVISION INDICATOR: Company name change.

Print Date: 12/09/2002

Supersedes MSDS, which is older than: 12/04/2002

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG. Bayer Environmental Science